

GIGA-LAN

Smartere datakabling fra ende til anden

RJ45 UTP patch kabel KAT6 5m sort LSZH
kappe ETL godkendt



Anvendelse

Anvendes som patch kabel fra vægdåse til netkort eller i krydsfelt fra patch panel til Switch. Små og smalle tyller sørger for aflastning samt at de passer i paneler hvor Jackene sidder tæt sammen. Et Patch Kabel i særlig høj kvalitet.


Specifikation

Kategori: 6 UTP
Hastighed: 1 Gbps Ethernet
Kappe: LSZH
Farve: Sort
Længde: 5m
Fabrikat: GIGA-LAN
Component Compliant
UL Certifikat: E489956
Standard: ISO/IEC 11801. EN 50173
Pakning: 1 stk.

Vare-nr.: 148636

EANr.: 5706683020582

RJ45 UTP patch kabel KAT6 5m sort LSZH kappe ETL godkendt



Product	24AWG UTP CAT6 STRANDED 4P	
Conductor	Material	SOLID-BARE Copper
	Construction	7 /0.20±0.015mm
Instulation	Material	HDPE
	Thickness	MIN at any point: 0.18mm MAX AVG:0.20mm
	Diameter	0.97±0.01mm
	Colors	Orange- Orange /White Green- Green /White Blue- Blue /White Brown- Brown /White
Cross	Spec	Transparent 4.6x0.35
Jacket	Material	LSOH
	Thickness	MIN at any point: 0.56mm MAX AVG: 0.6mm
	Wdth	MIN at any point:5.8mm MAX AVG:6.2mm
	Colors	Assorted upon request
	Marking	CATEGORY 6A UTP STRANDED 4X2XAWG24 ISO/IEC 11801&TIA/EIA 568B.2-1 3P ETL VERIFIED

RJ45 UTP patch kabel KAT6 5m sort LSZH kappe ETL godkendt

Electric Characters:

Frequency (MHz)	ATT ≥dB	NEXT ≤dB	RL ≥dB	ACR ≤ns	ELFEXT (MHz)	PSNEXT ≥dB	PS ARC ≥dB	PSELFEXT ≥dB
1	3	65.0	19.0	62.0	63.3	62.0	59.9	60.3
4.0	4	63.0	19.0	59.0	51.2	60.5	56.5	48.2
8.0	5.7	58.2	19.0	52.5	45.2	55.6	49.9	42.2
10.0	6.3	56.6	19.0	50.2	43.3	54.0	47.7	40.3
16.0	8	53.2	19.0	45.2	39.2	50.6	42.6	36.2
20.0	9	51.6	19.0	42.6	37.2	49.0	39.9	34.2
25.0	10.1	50.0	18.0	39.9	35.3	47.3	37.2	32.3
31.25	11.4	48.4	17.1	37.0	33.4	45.7	34.3	30.4
62.5	16.5	43.4	14.1	26.9	27.3	40.6	24.1	24.3
100	21.3	39.9	12.0	18.6	23.3	37.1	15.8	20.3
200	31.5	34.8	9.0	3.3	17.2	31.9	0.3	14.2
250	36.0	33.1	8.0	-2.8	15.2	30.2	-5.8	12.3

No.	Parts name	Cat6 UTP
1	Cable	UTP (24AWG*1PR)*4+DtLSOH OD:6.0±0.2mm Color: Assorted upon request
2	RJ45 Connector	RJ45,8P8C, Two fork 3u" gold Plated contacts short type two parting
3	Molding PVC	Molding PVC 50P color: Assorted upon request